

**PRODUCT DESCRIPTION**

FOGLIA CUP 250 cc PLA TRANSPARENT

|                                |  |
|--------------------------------|--|
| 073400                         | Ø10,2 h5,3 cm Box of 800 pcs (8 bags of 100) (2 Times of 50) |
| <b>EAN Code:</b> 8027499027266 | <b>HS CODE:</b> 39269097                                     |
| <b>Type</b>                    | COMPOSTABLE FOGLIA CUP                                       |
| <b>Color</b>                   | TRANSPARENT  |
| <b>Production Technique</b>    | Thermoforming  |



**PRODUCT DIMENSIONS**

|                        | External Dims. | (var.) | Internal Dims.         | (var.) | Bottom Dims. | (var.) |
|------------------------|----------------|--------|------------------------|--------|--------------|--------|
| <b>Lenght (cm)</b>     | -              | -      | -                      | -      | -            | -      |
| <b>Width (cm)</b>      | -              | -      | -                      | -      | -            | -      |
| <b>Diameter (cm)</b>   | 10,2 cm        | ± 5%   | -                      | -      | -            | -      |
| <b>Height (cm)</b>     | 5,3 cm         | ± 5%   |                        |        |              |        |
| <b>Useful Capacity</b> | 250 cc         | ± 5%   | <b>Capacity on top</b> |        | -            | -      |

**MATERIAL SPECIFICATIONS**

|                             |   |
|-----------------------------|---|
| <b>Type of Material</b>     | FOOD GRADE COMPOSTABLE BIOPOLYMER ACCORDING TO UNI EN 13432 TRANSPARENT OR COLOURED |
| <b>Material Composition</b> | -   |
| <b>Density (g/cm3)</b>      | 1,24 ± 5%   |

**PRODUCT SPECIFICATIONS**


|   |                       |                                  |
|---|-----------------------|----------------------------------|
| <b>Net Weight (g)</b>                         | 6 g                   | ± 5%                             |
| <b>Working load limit (Pa)</b>                | N/A                   |                                  |
| <b>Max temperature of use</b>                 | +35°C for 30 minutes  |                                  |
| <b>Min temperature of use</b>                 | -18°C for 30 minutes  |                                  |
| <b>Suitable for food contact*</b>             | Suitable for all food |                                  |
| <b>Repeated use for 125 washes up to 65°C</b> | NO                    |                                  |
| <b>Use in freezer (&lt;-18°C)</b>             | NO                    | <b>Use in blast chiller</b> NO   |
| <b>Use in convection oven</b>                 | NO                    | <b>Use in microwave</b> NO       |
| <b>Sterilization process</b>                  | NO                    | <b>Pasteurization process</b> NO |

\* In compliance with EU Regulations 10/2011, 1935/2004 and Italian laws. Declaration of conformity available on request.

**PACKAGING**


**BOX**

|                         |                             |
|-------------------------|-----------------------------|
| <b>Dimensions (cm)</b>  | L 26,4 x P 31,4 x H 37,4 cm |
| <b>Volume</b>           | 0,034089984 mc              |
| <b>Gross Weight Box</b> | 5,293 Kg                    |
| <b>Qty. per package</b> | 100 PCS                     |
| <b>Packages per box</b> | 8                           |
| <b>Total Qty.</b>       | 800 PCS                     |



**PALLET**

|                                 |  |
|---------------------------------|--|
| <b>Dimensions (cm)</b>          | L 80 x P 120 x H 195 cm - Configurazione PALLETEURO SC021 (55) |
| <b>Pallet Volume</b>            | 1,872 mc   |
| <b>Pallet Height (cm)</b>       | 195 cm   |
| <b>Pallet Gross Weight (kg)</b> | 311,115 kg   |
| <b>Boxes per Pallet</b>         | 55   |
| <b>Layers per Pallet</b>        | 5  |
| <b>Boxes per Layer</b>          | 11   |
| <b>Boxes on top</b>             | -  |
| <b>Qty. per Pallet</b>          | 44000 PCS  |



The information contained in this technical data sheet are indicative and subject to change without notice in order to improve functionality and design; the values provided are suggested as guidelines and should only be used to evaluate your specific application. In case of doubt, contact Polo Plast Srl. To the maximum extent permitted by law, Polo Plast Srl will not be liable for damages of any nature deriving from the improper use or reliance on the information contained in this technical data sheet. No express or implied warranties other than those required by law are provided.